Author Index

Ågren, J., 135
Altstetter, C. J., 99
Ankem, S., 229

Bhadeshia, H. K. D. H., 257

Cao, W.-D., 157
Cesari, E., 127
Chyou, S. D., 109
Conrad, H., 157

Defresne, A., 45, 55
Dekanenko, V. M., 239

Gan, D., 147
Gerard, D. A., 77
Goltsov, V. A., 239
Guenin, G., 273

Hallstedt, B., 135
Huang, Z. H., L1

Ishikawa, K., 217, 223

Janowski, G. M., 65

Khan, S. A., 257
Kim, N.J., 35
Kim, Y. G., 35
Kimura, H., 207
Koss, D. A., 77
Kumagai, J., 207
Kunz, L., 249

Laha, K., 183
Laird, C., 197
Lee, Y. T., 21
Li, J., 167, 175
Li, J. C. M., 167, 175
Lin, C. L., 147
Liu, Z.-K., 135
Lou, H., 279
Lovey, F. C., 127
Lu, X.-P., 157
Lukáš, P., 249

Ma, B.-T., 197
Mannan, S. L., 183
Morito, N., 119

Nagai, K., 217, 223
Namboodhiri, T. K. G., 87

Perng, T.-P., 99
Peters, M., 21
Pletka, B. J., 65

Rack, H. J., 11
Radin, A. L., 197
Ramaswamy, V., 87
Rao, K. B. S., 183
Ratnaparkhi, P. L., 11
Ravi, K., 87
Remy, L., 45, 55
Richert, M., 1
Rodriguez, P., 273

Shen, P., 147
Shih, H. C., 109
Sklenička, V., 249
Sprecher, A. F., 157
Suzuki, S., 207

Takaki, S., 207
Tian, J. F., L1

Umezawa, O., 217, 223

Vijayshankar, M. N., 229
Vlasenko, N. N., 239

Wang, F., 279
Wang, Z. G., 197, L1
Welpmann, K., 21

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Alloys
effect of carbon on surface crystallization of amorphous Fe–B–Si alloy induced by selective oxidation, 119
high temperature tensile deformation behavior of β-Ti alloys, 229
low temperature deformation phenomena of the Al–Li alloy 8090, 21
microstructural characteristics of non-equilibrium precipitates in Cu–Zn–Al alloys, 127
oxidation behaviour and scale morphology of normal-grained CoCrAl alloy and its sputtered microcrystalline coating, 279
structure and electrochemical properties of plasma-nitrided low alloy steel, 109
subsurface crack initiation in high cycle fatigue of Ti–5Al–2.5Sn extra-low interstitial alloy at liquid helium temperature, 217
superplastic deformation behavior of 7475 aluminum alloy in an electric field, 157
thermal aging behaviour and origin of a Cu–Al–Ni shape memory alloy, 273
transmission electron microscopy study of high cycle fatigue deformation in Ti–5Al–2.5Sn extra-low interstitial alloy at cryogenic temperatures, 223
Aluminium
crack growth in oriented SiC-whisker-reinforced 2124 aluminum composites, 11
effect of unlimited cumulation of large plastic strains on the structure-softening processes of 99.999 Al, 1
fibre–matrix interactions during fabrication of Al_2O_3–Mg metal matrix composites, 135
influence of interfacial structure on the mechanical properties of liquid-phase-sintered aluminium–ceramic composites, 65
low temperature deformation phenomena of the Al–Li alloy 8090, 21
microstructural characteristics of non-equilibrium precipitates in Cu–Zn–Al alloys, 127
oxidation behaviour and scale morphology of normal-grained CoCrAl alloy and its sputtered microcrystalline coating, 279
subsurface crack initiation in high cycle fatigue of Ti–5Al–2.5Sn extra-low interstitial alloy at liquid helium temperature, 217
superplastic deformation behavior of 7475 aluminum alloy in an electric field, 157
thermal aging behaviour and origin of a Cu–Al–Ni shape memory alloy, 273
transmission electron microscopy study of high cycle fatigue deformation in Ti–5Al–2.5Sn extra-low interstitial alloy at cryogenic temperatures, 223
Annealing
effect of boron on the structure and mechanical properties of intercritically annealed Fe–1.5Mn–0.06C steels, 35
Asymmetry
asymmetry behavior between tension and compression in the cyclic deformation of copper single crystals and other ductile metals, 197
Austenite
hydrogen effects in austenitic stainless steels, 99

Bainite
kinetics of martensitic transformation in partially bainitic 300M steel, 257
Boron
effect of boron on the structure and mechanical properties of intercritically annealed Fe–1.5Mn–0.06C steels, 35
effect of carbon on surface crystallization of amorphous Fe–B–Si alloy induced by selective oxidation, 119
Burgers' vectors
dislocations emitted from a fatigue crack I: identical Burgers' vectors, 167
dislocations emitted from a fatigue crack II: Burgers' vectors of both signs, 175

Carbon
crack growth in oriented SiC-whisker-reinforced 2124 aluminum composites, 11
effect of boron on the structure and mechanical properties of intercritically annealed Fe–1.5Mn–0.06C steels, 35
effect of carbon on surface crystallization of amorphous Fe–B–Si alloy induced by selective oxidation, 119
Ceramics
influence of interfacial structure on the mechanical properties of liquid-phase-sintered aluminium–ceramic composites, 65
Chromium
creep behaviour of post-weld heat-treated 2.25Cr–1Mo ferritic steel base, weld metal and weldments, 183
oxidation behaviour and scale morphology of normal-grained CoCrAl alloy and its sputtered microcrystalline coating, 279
Cobalt
oxidation behaviour and scale morphology of normal-grained CoCrAl alloy and its sputtered microcrystalline coating, 279
Composites
crack growth in oriented SiC-whisker-reinforced 2124 aluminum composites, 11
fibre–matrix interactions during fabrication of Al_2O_3–Mg metal matrix composites, 135
influence of interfacial structure on the mechanical properties of liquid-phase-sintered aluminium–ceramic composites, 65
Compression
asymmetry behavior between tension and compression in the cyclic deformation of copper single crystals and other ductile metals, 197

© Elsevier Sequoia/Printed in The Netherlands

Copper
asymmetry behavior between tension and compression in the cyclic deformation of copper single crystals and other ductile metals, 197
microstructural characteristics of non-equilibrium precipitates in Cu–Zn–Al alloys, 127
thermal aging behaviour and origin of a Cu–Al–Ni shape memory alloy, 273
Crack growth
crack growth in oriented SiC-whisker-reinforced 2124 aluminum composites, 11
fatigue behaviour of CMSX 2 superalloy [001] single crystals at high temperature
II: fatigue crack growth, 55
Crack initiation
porosity and crack initiation during low cycle fatigue, 77
subsurface crack initiation in high cycle fatigue of Ti–5Al–2.5Sn extra-low interstitial alloy at liquid helium temperature, 217
Cracks
dislocations emitted from a fatigue crack
I: identical Burgers' vectors, 167
dislocations emitted from a fatigue crack
II: Burgers' vectors of both signs, 175
Creep
interaction of high cycle fatigue with high temperature creep in two creep-resistant steels, 249
Cryogenic temperatures
transmission electron microscopy study of high cycle fatigue deformation in Ti–5Al–2.5Sn extra-low interstitial alloy at cryogenic temperatures, 223
Crystallization
effect of carbon on surface crystallization of amorphous Fe–B–Si alloy induced by selective oxidation, 119

Deformation
asymmetry behavior between tension and compression in the cyclic deformation of copper single crystals and other ductile metals, 197
high temperature tensile deformation behavior of β-Ti alloys, 229
low temperature deformation phenomena of the Al–Li alloy 8090, 21
superplastic deformation behavior of 7475 aluminum alloy in an electric field, 157
transmission electron microscopy study of high cycle fatigue deformation in Ti–5Al–2.5Sn extra-low interstitial alloy at cryogenic temperatures, 223
Dislocations
dislocations emitted from a fatigue crack
I: identical Burgers' vectors, 167
dislocations emitted from a fatigue crack
II: Burgers' vectors of both signs, 175

Electric fields
superplastic deformation behavior of 7475 aluminum alloy in an electric field, 157
Electrochemical properties
structure and electrochemical properties of plasma-nitrided low alloy steel, 109

Fatigue
dislocations emitted from a fatigue crack
I: identical Burgers' vectors, 167
dislocations emitted from a fatigue crack
II: Burgers' vectors of both signs, 175
fatigue behaviour of CMSX 2 superalloy [001] single crystals at high temperature
Part I: low cycle fatigue of notched specimens, 45
fatigue behaviour of CMSX 2 superalloy [001] single crystals at high temperature
II: fatigue crack growth, 55
interaction of high cycle fatigue with high temperature creep in two creep-resistant steels, 249
porosity and crack initiation during low cycle fatigue, 77
subsurface crack initiation in high cycle fatigue of Ti–5Al–2.5Sn extra-low interstitial alloy at liquid helium temperature, 217
transmission electron microscopy study of high cycle fatigue deformation in Ti–5Al–2.5Sn extra-low interstitial alloy at cryogenic temperatures, 223
Ferrite
creep behaviour of post-weld heat-treated 2.25Cr–1Mo ferritic steel base, weld metal and weldments, 183

Hardening
orientation dependence of quasi-three-stage work hardening in high purity iron single crystals, 207
Heat treatment
creep behaviour of post-weld heat-treated 2.25Cr–1Mo ferritic steel base, weld metal and weldments, 183
Hydrogen
hydrogen effects in austenitic stainless steels, 99
hydrogen sulphide resistance of high sulphur microalloyed steels, 87
hydrogen treatment of niobium: strengthening and structural changes, 239

Interfaces
influence of interfacial structure on the mechanical properties of liquid-phase-sintered aluminium–ceramic composites, 65
Iron
effect of boron on the structure and mechanical properties of intercritically annealed Fe–1.5Mn–0.06C steels, 35
effect of carbon on surface crystallization of amorphous Fe–B–Si alloy induced by selective oxidation, 119
orientation dependence of quasi-three-stage work hardening in high purity iron single crystals, 207

Kinetics
kinetics of martensitic transformation in partially bainitic 300M steel, 257

Liquid helium temperature
subsurface crack initiation in high cycle fatigue of Ti–5Al–2.5Sn extra-low interstitial alloy at liquid helium temperature, 217
Lithium
low temperature deformation phenomena of the Al–Li alloy 8090, 21

Magnesium
fibre–matrix interactions during fabrication of Al_2O_3–Mg metal matrix composites, 135
Manganese
effect of boron on the structure and mechanical properties of intercritically annealed Fe–1.5Mn–0.06C steels, 35

Martensite
kinetics of martensitic transformation in partially bainitic 300M steel, 257
Mechanical properties
effect of boron on the structure and mechanical properties of intercritically annealed Fe–1.5Mn–0.06C steels, 35
influence of interfacial structure on the mechanical properties of liquid-phase-sintered aluminium–ceramic composites, 65
Microalloying
hydrogen sulphide resistance of high sulphur microalloyed steels, 87
Microstructure
effects of TiO_2 addition on the microstructure and transformation of ZrO_2 with 3 and 6 mol.% Y_2O_3, 147
microstructural characteristics of non-equilibrium precipitates in Cu–Zn–Al alloys, 127
Molybdenum
creep behaviour of post-weld heat-treated 2.25Cr–1Mo ferritic steel base, weld metal and weldments, 183

Nickel
thermal aging behaviour and origin of a Cu–Al–Ni shape memory alloy, 273
Niobium
hydrogen treatment of niobium: strengthening and structural changes, 239
Nitriding
structure and electrochemical properties of plasma-nitrided low alloy steel, 109

Orientation
orientation dependence of quasi-three-stage work hardening in high purity iron single crystals, 207
Oxidation
effect of carbon on surface crystallization of amorphous Fe–B–Si alloy induced by selective oxidation, 143
oxidation behaviour and scale morphology of normal-grained CoCrAl alloy and its sputtered microcrystalline coating, 279
Oxygen
effects of TiO_2 addition on the microstructure and transformation of ZrO_2 with 3 and 6 mol.% Y_2O_3, 147
fibre-matrix interactions during fabrication of Al_2O_3–Mg metal matrix composites, 135

Phase transformation
effects of TiO_2 addition on the microstructure and transformation of ZrO_2 with 3 and 6 mol.% Y_2O_3, 147
Porosity
porosity and crack initiation during low cycle fatigue, 77
Precipitates
microstructural characteristics of non-equilibrium precipitates in Cu–Zn–Al alloys, 127

Reinforcement
crack growth in oriented SiC-whisker-reinforced 2124 aluminum composites, 11

Scale
oxidation behaviour and scale morphology of normal-grained CoCrAl alloy and its sputtered microcrystalline coating, 279
Secondary electron line scanning
study of irregular surfaces by secondary electron line scanning, L1
Shape memory alloys
thermal aging behaviour and origin of a Cu–Al–Ni shape memory alloy, 273
Silicon
crack growth in oriented SiC-whisker-reinforced 2124 aluminum composites, 11
effect of carbon on surface crystallization of amorphous Fe–B–Si alloy induced by selective oxidation, 119
Single crystals
asymmetry behavior between tension and compression in the cyclic deformation of copper single crystals and other ductile metals, 197
fatigue behaviour of CMSX 2 superalloy [001] single crystals at high temperature
I: low cycle fatigue of notched specimens, 45
fatigue behaviour of CMSX 2 superalloy [001] single crystals at high temperature
II: fatigue crack growth, 55
orientation dependence of quasi-three-stage work hardening in high purity iron single crystals, 207
Sintering
the influence of interfacial structure on the mechanical properties of liquid-phase-sintered aluminum–ceramic composites, 79
Softening
effect of unlimited cumulation of large plastic strains on the structure-softening processes of 99.999 Al, 1
Steels
creep behaviour of post-weld heat-treated 2.25Cr–1Mo ferritic steel base, weld metal and weldments, 183
hydrogen effects in austenitic stainless steels, 99
hydrogen sulphide resistance of high sulphur microalloyed steels, 87
interaction of high cycle fatigue with high temperature creep in two creep-resistant steels, 249
kinetics of martensitic transformation in partially bainitic 300M steel, 257
structure and electrochemical properties of plasma-nitrided low alloy steel, 109
Strain
effect of unlimited cumulation of large plastic strains on the structure-softening processes of 99.999 Al, 1
Strengthening
hydrogen treatment of niobium: strengthening and structural changes, 239
Structural changes
hydrogen treatment of niobium: strengthening and structural changes, 239
Structure
effect of boron on the structure and mechanical properties of intercritically annealed Fe–1.5Mn–0.06C steels, 35
effect of unlimited cumulation of large plastic strains on the structure-softening processes of 99.999 Al, 1
influence of interfacial structure on the mechanical properties of liquid-phase-sintered aluminium–ceramic composites, 65
structure and electrochemical properties of plasma-nitrided low alloy steel, 109
Sulphur
hydrogen sulphide resistance of high sulphur microalloyed steels, 87

Superalloys
fatigue behaviour of CMSX 2 superalloy [001] single crystals at high temperature
I: low cycle fatigue of notched specimens, 45
fatigue behaviour of CMSX 2 superalloy [001] single crystals at high temperature
II: fatigue crack growth, 55
Superplasticity
superplastic deformation behavior of 7475 aluminum alloy in an electric field, 157

Tension
asymmetry behavior between tension and compression in the cyclic deformation of copper single crystals and other ductile metals, 197
Thermal aging
thermal aging behaviour and origin of a Cu–Al–Ni shape memory alloy, 273
Tin
subsurface crack initiation in high cycle fatigue of Ti–5Al–2.5Sn extra-low interstitial alloy at liquid helium temperature, 217
transmission electron microscopy study of high cycle fatigue deformation in Ti–5Al–2.5Sn extra-low interstitial alloy at cryogenic temperatures, 223
Titanium
effects of TiO_2 addition on the microstructure and transformation of ZrO_2 with 3 and 6 mol.% Y_2O_3, 147
high temperature tensile deformation behavior of β-Ti alloys, 229
subsurface crack initiation in high cycle fatigue of Ti–5Al–2.5Sn extra-low interstitial alloy at liquid helium temperature, 217
transmission electron microscopy study of high cycle fatigue deformation in Ti–5Al–2.5Sn extra-low interstitial alloy at cryogenic temperatures, 223
Transmission electron microscopy
transmission electron microscopy study of high cycle fatigue deformation in Ti–5Al–2.5Sn extra-low interstitial alloy at cryogenic temperatures, 223

Welds
creep behaviour of post-weld heat-treated 2.25Cr–1Mo ferritic steel base, weld metal and weldments, 183
Weldments
creep behaviour of post-weld heat-treated 2.25Cr–1Mo ferritic steel base, weld metal and weldments, 183

Yttrium
effects of TiO_2 addition on the microstructure and transformation of ZrO_2 with 3 and 6 mol.% Y_2O_3, 147

Zinc
microstructural characteristics of non-equilibrium precipitates in Cu–Zn–Al alloys, 127
Zirconium
effects of TiO_2 addition on the microstructure and phase transformation of ZrO_2 with 3 and 6 mol.% Y_2O_3, 147